ELSEVIER

Brain Research 766 (1997) 297–298

BRAIN RESEARCH

Author Index

Abbott, A., Wigmore, M.A. and Lacey, M.G.
Excitation of rat subthalamic nucleus neurones in vitro by activation of a group I metabotropic glutamate receptor (766) 162
Abe, K., Chu, P.-j., Shirahata, A., Samejima, K. and Saito, H.
Structural requirement for axonal regeneration-promoting effect of polyamines in cultured rat hippocampal neurons (766) 281
Alexander, G.M., Grothusen, J.R., Gordon, S.W. and Schwartzman, R.J.
Intracerebral microdialysis study of glutamate reuptake in awake, behaving rats (766) 1
Angerilli, P., see Brooke, J.D. (766) 236
Antkowiak, B., see Felisberti, F. (766) 56

Baethmann, A., see Staub, F. (766) 285
Basbaum, A.I., see Rohde, D.S. (766) 93
Beacham, D.W., see Nah, S.-Y. (766) 66
Benaur, M., see Sinnamon, H.M. (766) 271
Bezard, E., Imbert, C., Deloire, X., Bioulac, B. and Gross, C.E.
A chronic MPTP model reproducing the slow evolution of Parkinson's disease: evolution of motor symptoms in the monkey (766) 107
Bhatnagar, S., Costall, B. and Smythe, J.W.
Hippocampal cholinergic blockade enhances hypothalamic-pituitary-adrenal responses to stress (766) 244
Bioulac, B., see Bezard, E. (766) 107
Braun, N., Lenz, C., Gillardon, F., Zimmermann, M. and Zimmermann, H.
Focal cerebral ischemia enhances glial expression of ecto-5′-nucleotidase (766) 213
Brooke, J.D., McIlroy, W.E., Miklic, M., Staines, W.R., Misiaszek, J.E., Peritore, G. and Angerilli, P.
Modulation of H reflexes in human tibialis anterior muscle with passive movement (766) 236
Bueno, E., see Sekirnjak, C. (766) 173
Bunzow, J.R., see Nah, S.-Y. (766) 66

Carey, M.P., see Corpéchot, C. (766) 276
Chang, R.C.C., see Staub, F. (766) 285
Chiba, T., see Kobayashi, M. (766) 72
Chopp, M., see Zhang, R.L. (766) 83
Chu, P.-j., see Abe, K. (766) 281
Čížková, D., see Vanický, I. (766) 262
Collins, B.E., see Corpéchot, C. (766) 276
Colvin, L.A., Mark, M.A. and Duggan, A.W.
The effect of a peripheral mononeuropathy on immunoreactive (ir)-galanin release in the spinal cord of the rat (766) 259
Colwell, C.S. and Levine, M.S.
Histamine modulates NMDA-dependent swelling in the neostriatum (766) 205
Colwell, D.D., see Kavaliers, M. (766) 11
Cook, S.P., see Nah, S.-Y. (766) 66
Corpéchot, C., Collins, B.E., Carey, M.P., Tsouros, A., Robel, P. and Fry, J.P.
Brain neurosteroids during the mouse oestrous cycle (766) 276
Costall, B., see Bhatnagar, S. (766) 244
Cottrell, G.A., see Gombos, Z. (766) 168

De Andrés, I., see Garzón, M. (766) 266
Deerinck, T., see Sekirnjak, C. (766) 173
Deloire, X., see Bezard, E. (766) 107
Desor, D., see Schroeder, H. (766) 142
Detweiler, D.J., see Rohde, D.S. (766) 93
De Zeeuw, C.I., see Verveer, C. (766) 289
Duggan, A.W., see Colvin, L.A. (766) 259

Ellisman, M., see Sekirnjak, C. (766) 173
El Manira, A., see Pombal, M.A. (766) 249
Ewing, J.R., see Zhang, R.L. (766) 83

Felisberti, F., Antkowiak, B. and Kirschfeld, K.
Effects of volatile anaesthetics on the membrane potential and ion channels of cultured neocortical astrocytes (766) 56
Fleshner, M., see Milligan, E.D. (766) 240
Fowler, J.C.
Hydrogen peroxide opposes the hypoxic depression of evoked synaptic transmission in rat hippocampal slices (766) 255
Fry, J.P., see Corpéchot, C. (766) 276

Garzón, M., De Andrés, I. and Reinoso-Suárez, F.
Neocortical and hippocampal electrical activities are similar in spontaneous and cholinergic-induced REM sleep (766) 266
Gaykema, R.P.A., see Milligan, E.D. (766) 240
Gillardon, F., see Braun, N. (766) 213
Goehler, L.E., see Milligan, E.D. (766) 240
Gombos, Z., Mendonça, A., Racine, R.J., Cottrell, G.A. and McIntyre Burnham, W.
Long-term enhancement of entorhinal-dentate evoked potentials following 'modified' ECS in the rat (766) 168
Gordon, S.W., see Alexander, G.M. (766) 1
Grandy, D.K., see Nah, S.-Y. (766) 66
Grillner, S., see Pombal, M.A. (766) 249
Gross, C.E., see Bezard, E. (766) 107
Grothusen, J.R., see Alexander, G.M. (766) 1
Guidotti, G., see McGeoch, J.E.M. (766) 188

Hawkins, R.K., see Verveer, C. (766) 289
Hoffman, J.L., see Jansen, A.S.P. (766) 29
Huang, S.-C., see Melega, W.P. (766) 113
Humbert, A.-C., see Schroeder, H. (766) 142

Ichijima, K., see Mishima, K. (766) 50
Imbert, C., see Bezard, E. (766) 107

Jansen, A.S.P., Hoffman, J.L. and Loewy, A.D.
CNS sites involved in sympathetic and parasympathetic control of the pancreas: a viral tracing study (766) 29
Jiang, Q., see Zhang, R.L. (766) 83

Kasai, T., see Komiyama, T. (766) 227
Kavaliers, M., Colwell, D.D. and Perrot-Sinal, T.S.
Opioid and non-opioid NMDA-mediated predator-induced analgesia in mice and the effects of parasitic infection (766) 11
Kirschfeld, K., see Felisberti, F. (766) 56
Kobayashi, M., Nemoto, T., Nagata, H., Konno, A. and Chiba, T.
Immunohistochemical studies on glutamatergic, GABAergic and glycinergic axon varicosities presynaptic to parasympathetic preganglionic neurons in the superior salivatory nucleus of the rat (766) 72
Komiyama, T. and Kasai, T.
Changes in the H-reflexes of ankle extensor and flexor muscles at the initiation of a stepping movement in humans (766) 227
Konno, A., see Kobayashi, M. (766) 72
Kumatoriya, K., see Nomura, T. (766) 129

Lacan, G., see Melega, W.P. (766) 113
Lacey, M.G., see Abbott, A. (766) 162
Lenz, C., see Braun, N. (766) 213
Levine, M.S., see Colwell, C.S. (766) 205
Loewy, A.D., see Jansen, A.S.P. (766) 29

Maier, S.F., see Milligan, E.D. (766) 240
Mark, M.A., see Colvin, L.A. (766) 259
Maršala, M., see Vanický, I. (766) 262
Martone, M.E., see Sekirnjak, C. (766) 173
Matsuoka, H., see Mishima, K. (766) 50
McGeoch, J.E.M. and Guidotti, G.
A 0.1–700 Hz current through a voltage-clamped pore: candidate protein for initiator of neural oscillations (766) 188
McGorry, M.M., see Milligan, E.D. (766) 240
McIlroy, W.E., see Brooke, J.D. (766) 236

McIntyre Burnham, W., see Gombos, Z. (766) 168
Melega, W.P., Raleigh, M.J., Stout, D.B., Lacan, G., Huang, S.-C. and Phelps, M.E.
Recovery of striatal dopamine function after acute amphetamine- and methamphetamine-induced neurotoxicity in the vervet monkey (766) 113
Mendonça, A., see Gombos, Z. (766) 168
Miklic, M., see Brooke, J.D. (766) 236
Miller, M.W.
Effects of prenatal exposure to ethanol on callosal projection neurons in rat somatosensory cortex (766) 121
Miller, M.W., see Neymeyer, V. (766) 195
Milligan, E.D., McGorry, M.M., Fleshner, M., Gaykema, R.P.A., Goehler, L.E., Watkins, L.R. and Maier, S.F.
Subdiaphragmatic vagotomy does not prevent fever following intracerebroventricular prostaglandin E_2: further evidence for the importance of vagal afferents in immune-to-brain communication (766) 240
Mishima, K., Matsuoka, H., Nakajima, H., Yoshikawa, T., Ohgushi, H., Tabata, S., Yamada, E. and Ichijima, K.
Increased expression of extracellular signal regulated kinase 1 after axotomy in the dorsal motor nucleus of the vagus nerve and the hypoglossal nucleus (766) 50
Misiaszek, J.E., see Brooke, J.D. (766) 236

Nagata, H., see Kobayashi, M. (766) 72
Nah, S.-Y., Unteutsch, A., Bunzow, J.R., Cook, S.P., Beacham, D.W. and Grandy, D.K.
μ and δ opioids but not κ opioid inhibit voltage-activated Ba^{2+} currents in neuronal F-11 cell (766) 66
Nakagawa, Y. and Takashima, T.
The $GABA_B$ receptor antagonist CGP36742 attenuates the baclofen- and scopolamine-induced deficit in Morris water maze task in rats (766) 101
Nakajima, H., see Mishima, K. (766) 50
Nehlig, A., see Schroeder, H. (766) 142
Nemoto, T., see Kobayashi, M. (766) 72
Neymeyer, V., Tephly, T.R. and Miller, M.W.
Folate and 10-formyltetrahydrofolate dehydrogenase (FDH) expression in the central nervous system of the mature rat (766) 195
Nomura, T., Kumatoriya, K., Yoshimura, Y. and Yamauchi, T.
Overexpression of α and β isoforms of Ca^{2+}/calmodulin-dependent protein kinase II in neuroblastoma cells — H-7 promotes neurite outgrowth (766) 129
Nurse, C.A., see Zhong, H. (766) 153

Ogilvie, K.M. and Rivier, C.
Gender difference in hypothalamic–pituitary–adrenal axis response to alcohol in the rat: activational role of gonadal steroids (766) 19
Ohgushi, H., see Mishima, K. (766) 50

Peritore, G., see Brooke, J.D. (766) 236
Perrot-Sinal, T.S., see Kavaliers, M. (766) 11
Peters, J., see Staub, F. (766) 285
Phelps, M.E., see Melega, W.P. (766) 113
Plesnila, N., see Staub, F. (766) 285
Pombal, M.A., El Manira, A. and Grillner, S.
Organization of the lamprey striatum – transmitters and projections (766) 249
Prosbová, T., see Vanický, I. (766) 262

Racine, R.J., see Gombos, Z. (766) 168
Raleigh, M.J., see Melega, W.P. (766) 113
Reinoso-Suárez, F., see Garzón, M. (766) 266
Rivier, C., see Ogilvie, K.M. (766) 19
Robel, P., see Corpéchot, C. (766) 276
Rohde, D.S., Detweiler, D.J. and Basbaum, A.I.
Formalin-evoked Fos expression in spinal cord is enhanced in morphine-tolerant rats (766) 93
Rudy, B., see Sekirnjak, C. (766) 173
Ruigrok, T.J.H., see Verveer, C. (766) 289

Saito, H., see Abe, K. (766) 281
Samejima, K., see Abe, K. (766) 281
Schroeder, H., Humbert, A.-C., Desor, D. and Nehlig, A.
Long-term consequences of neonatal exposure to diazepam on cerebral glucose utilization, learning, memory and anxiety (766) 142
Schwartzman, R.J., see Alexander, G.M. (766) 1
Sekirnjak, C., Martone, M.E., Weiser, M., Deerinck, T., Bueno, E., Rudy, B. and Ellisman, M.
Subcellular localization of the K^+ channel subunit Kv3.1b in selected rat CNS neurons (766) 173
Shirahata, A., see Abe, K. (766) 281
Sinnamon, H.M. and Benaur, M.
GABA injected into the anterior dorsal tegmentum (ADT) of the midbrain blocks stepping initiated by stimulation of the hypothalamus (766) 271
Smythe, J.W., see Bhatnagar, S. (766) 244
Staines, W.R., see Brooke, J.D. (766) 236
Staub, F., Peters, J., Plesnila, N., Chang, R.C.C. and Baethmann, A.
Swelling and damage of glial cells by lactacidosis and glutamate: effect of α-trinositol (766) 285
Stout, D.B., see Melega, W.P. (766) 113

Tabata, S., see Mishima, K. (766) 50
Takashima, T., see Nakagawa, Y. (766) 101
Tephly, T.R., see Neymeyer, V. (766) 195
Tsouros, A., see Corpéchot, C. (766) 276

Unteutsch, A., see Nah, S.-Y. (766) 66

Vanderwolf, C.H., see Zibrowski, E.M. (766) 39
Vanický, I., Čížková, D., Prosbová, T. and Maršala, M.
Audiogenic seizures after neck tourniquet-induced cerebral ischemia in the rat (766) 262
Verveer, C., Hawkins, R.K., Ruigrok, T.J.H. and De Zeeuw, C.I.
Ultrastructural study of the GABAergic and cerebellar input to the nucleus reticularis tegmenti pontis (766) 289

Watkins, L.R., see Milligan, E.D. (766) 240
Weiser, M., see Sekirnjak, C. (766) 173
Wigmore, M.A., see Abbott, A. (766) 162

Yamada, E., see Mishima, K. (766) 50
Yamauchi, T., see Nomura, T. (766) 129
Yoshikawa, T., see Mishima, K. (766) 50
Yoshimura, Y., see Nomura, T. (766) 129

Zhang, R.L., Chopp, M., Zhang, Z.G., Jiang, Q. and Ewing, J.R.
A rat model of focal embolic cerebral ischemia (766) 83
Zhang, Z.G., see Zhang, R.L. (766) 83
Zhong, H. and Nurse, C.A.
Nicotinic acetylcholine sensitivity of rat petrosal sensory neurons in dissociated cell culture (766) 153
Zibrowski, E.M. and Vanderwolf, C.H.
Oscillatory fast wave activity in the rat pyriform cortex: relations to olfaction and behavior (766) 39
Zimmermann, H., see Braun, N. (766) 213
Zimmermann, M., see Braun, N. (766) 213